



SINCERE FIRST FPC Camera Module List

像素 Pixel	感光芯片 Sensor	型号 Module	接口 Interface	对焦 Focusing	芯片尺寸 Size	镜头焦距 EFL	光圈 F.NO	视场角 Viewangle	景深 FocusRange	畸变 Distortion	模组尺寸 Module Size	模组连接器型号 Connector	匹配连接器号 Match Connector	备注 Notes	
108MP	SS6MNSP03	SF-IM015-SS6MNSP03	MIP1	AF	1/1.33"	TBD	1.6	86	10 [∞]	TBD	17.8*17.8*8.1	EBR46-01-00 34pin	EBR46-34B0V73		
	SS6MNSP03-FOX	SF-KY68-V1.0	MIP1	FF	1/1.52"	5.96	1.75	82	10 [∞]	<1.5%	13.5*13.5*7.82	OK-118R030/2-35 30pin	OK-118R030/2-35	CPHY	
64MP	IM686	SF-YT686A	MIP1	AF	1/1.17"	TBD	1.89	79.8	10 [∞]	<1.5%	11.8*11.8*6.95	OK-106G030-035 30pin	OK-106G030-035		
		SF-FX686AB	MIP1	AF	1/1.73"	TBD	1.89	79.8	10 [∞]	<2%	13.9*13.25*6.25	OK-118R030-35 30pin	TBD	CPHY	
		SF-S0686-P00-B V1.0	MIP1	AF	1/1.73"	5.43	1.89	79.8	10 [∞]	<1.5%	12*12*6.8	OK-23G030-04 30pin	OK-23G030-04		
		SF-OCX886B6	MIP1	AF	1/1.73"	5.56	1.8	D78° H66° V52°	10 [∞]	<1%	12*12*6.7	AXE834124 34pin	AXE734124		
50MP	IM766	SF-C0Q501 IMX766	MIP1	AF	1/1.52"	TBD	TBD	D80	10 [∞]	TBD	16.8*17.5*6.55	OK-118R040-35 40pin	OK-118R040-35		
		SF-YT766A	MIP1	FF	1/1.52"	5.50	1.88	85.5	10 [∞]	<1.5%	13.5*13.5*7.82	OK-118R030/2-35 30pin	TBD		
	SS6JN1S003	SF-S06JN1-H58-V1.0	MIP1	AF	1/2.76"	TBD	1.6	78	10cm [∞]	<1%	9.9*9.9*5.57	OK-24M034-04 34pin	TBD		
48MP	IM586	SF5861-H120	MIP1	FF	1/2"	TBD	2.0	D514-H119-V88	500cm [∞]	<26.5%	13*13*23.5	S055513410 34pin	S055503410		
		SF0X586D0	MIP1	AF	1/2"	4.74	1.79	85	80cm [∞]	<1.5%	10.8*10.8*6.5	BM20B(0.8)-300P-0.4V 30pin	BM20B(0.8)-300S-0.4V		
		SF0X586Y5B	MIP1	FF	1/2"	TBD	2.0	28.9	TBD	<1.5%	13*13*21.6	S055513410 34pin	S05552341		
		SF-OC586-POWER-B V1.1	MIP1	AF	1/2"	TBD	TBD	82	TBD	TBD	TBD	10.8*10.8*6	OK-10G030-04 30pin	OK-10G030-04	
		SF-X586D	MIP1	AF	1/2"	TBD	1.79	D70	15-30mm	<1.5%	10.8*10.8*6	OP27D-P030VA3 30pin	TBD		
		SF-YJ586A	MIP1	AF	1/2"	TBD	1.79	112	80cm [∞]	<-14%	10.8*10.8*6.83	14-5804-030-000-829 30pin	TBD	DFHY	
	OV48B	SF-4YT48BA-NIR	MIP1	AF	1/2"	TBD	1.79	79	89MM	<1.5%	10.8*10.8*4.27	DF40C-300P-0.4V 30pin	TBD	No IR Filter	
		SF-4YT48BA-IR	MIP1	AF	1/2"	TBD	1.79	79	89MM	<1.5%	10.8*10.8*4.27	DF40C-300P-0.4V 30pin	TBD	蓝玻璃, D-PHY	
		SS6Q1	SF-S6Q1-CC320-B	MIP1	AF	1/2.25"	4.74	1.79	79	100cm [∞]	<1.5%	10.8*10.8*6.3mm	OK-10G030-04 30pin	OK-10F030-04	
	IM582	SF-S0582-3A0	MIP1	AF	1/2"	4.8	1.85	78	100cm [∞]	<1%	10.8*10.8*6.4mm	OK-10G030-04 30pin	OK-10F030-04		
	24MP	IM576	SF-T900B V1.2	MIP1	AF	1/2.78"	TBD	1.8	77.8	100cm [∞]	<1%	8.8*8.8*6.29	OK-10M030-04 30pin	OK-10F030-04	
			SF-OC576-P29-B	MIP1	AF	1/2.77"	3.81	2.2	78	>10cm	<1%	8.8*8.8*6.35	OK-14M024-04 24pin	OK-14F024-04	
21MP	IM230	SF-XLX230C-V2	MIP1	AF	1/2.4"	4.71	1.79	79	100cm [∞]	<1%	10.8*10.8*6.83	AXT630124 30pin	AXT530124		
		SF-X230D1	MIP1	AF	1/2.4"	TBD	1.79	76	8.5cm [∞]	<1.5%	10.8*10.8*6.75	GB042-30P-H10 30pin	TBD		
20MP	IM376	SF-X37621BA	MIP1	AF	1/2.78"	3.95	1.8	80	100cm [∞]	<-1%	8.8*8.8*6.62	AXT630124 30pin	AXT530124		
		SF-IM376-88-V1	MIP1	FF	1/2.78"	2.35	2.2	122.6	100cm [∞]	<9.7%	8.8*8.8*6.96	EBR13-24B6417 24pin	EBR43-24B533		
		SF-OC376-P29-B V1.1	MIP1	AF	1/2.78"	3.81	2.2	78	>10cm	<0.5%	8.8*8.8*6.7	OK-14M024-04 24pin	OK-14F024-04	can replace with IMX476 sensor	
		SF9X376M2	MIP1	FF	1/2.78"	TBD	TBD	TBD	TBD	TBD	8*8*4	WP26-S024VA10-R15000 24pin	WP26-P024VA10-R15000		
		SF-OC376-870-FF	MIP1	FF	1/2.8"	2.35	2.2	117.3	200CM/0.6M	<9.6%	8.5*8.5*7	AXE630124D 30pin	TBD	can replace with IMX476 sensor	
	SF-S0376-A11-F V1.0	MIP1	FF	1/2.78"	3.93	2.2	78	TBD	<1%	7.6*7.9*5.27mm	S055512410 24pin	TBD			
IM350	SF-X350A1	MIP1	AF	1/2.8"	TBD	2.2	80.6	100cm [∞]	<1%	8.8*8.8*6.3	AXQ2301 30pin	AXQ1302			
IM476	SF-X476A	MIP1	AF	1/2.78"	TBD	1.79	70	100cm [∞]	<1.5%	10.8*10.8*6.75	GB042-30P-H10 30pin	TBD			
16MP	IM298	SF-T828	MIP1	AF	1/3.06"	TBD	2.25	D117 / D75	100cm [∞]	TBD	8.8*8.8*6.67	AXQ2301 30pin	AXQ1302		
	IM298	SF-T828B-V1	MIP1	AF	1/3.06"	TBD	2.2	80.6	100cm [∞]	<0.5%	8.8*8.8*6.3	OK-14G030-04 30pin	OK-14F030-04		
	IM298	SF828B-01	MIP1	AF	1/2.8"	TBD	2.2	77.7	80cm [∞]	<1.5%	8.5*8.5*6.15	14-5804-030-000-829 30pin	24-5804-030-000-829		
	IM481	SF-HD481	MIP1	AF	1/3.1"	TBD	2.0	77.6	100cm [∞]	<1.5%	8.5*8.5*6.2	AXE630124	AXE530124		
	IM351	SF-S0351-P2-B	MIP1	AF	1/3.09"	2.85	2.2	82	>10cm	<1.5%	8.5*8.5*6.2mm	OK-14M024-04 24pin	OK-14F024-04		
		SF-OC351-S680-B	MIP1	AF	1/3.09"	3.38	2.2	82	TBD	<1.5%	8.5*8.5*6.55	OK-14M030-24 30pin	TBD		
SSK3P3P	SF-S03P3-A13P0-F	MIP1	FF	1/3.1"	3.56	2.2	76.3	40cm	<1%	6.8*7.4*4.68mm	OK-32G024-04 24pin	TBD			
13MP	SSK3P9	SF9K3P9Z9	MIP1	AF	1/3.1"	3.5683	2.0	78	80cm [∞]	<0.21%	8.5*8.5*4.96	OK-14G030-04 30pin	OK-14F030-04		
	SSK3P9	SF-TT3P9A	MIP1	AF	1/3"	3.46	2.2	80	100cm [∞]	TBD	8.5*8.5*6	OK-14G030-04 30pin	OK-14F030-04		
	SSK3L8	SF-S03L8-G105-B	MIP1	AF	1/3.06"	3.46	2.2	82	10cm/500cm	<0.4%	8.5*8.5*6.1mm	OK-10M030-04 30pin	OK-10F030-04		
	AR1335	SF-R1335BA V1.0	MIP1	AV	1/3.2"	3.57	2.0	78.4	100cm [∞]	<-1.5%	8.5*8.5*6.27	AXT630124 30pin	AXT530124		
	OV13810	SF-OC13810-ME40K-B	MIP1	AV	1/3.06"	3.34	2.2	80.3	5m	<1.5%	7.4*4.8*6.17	OK-118R030/2-35 32pin	TBD	LED	
		SF-C13130V-AP-LED	MIP1	AF	1/3.06"	3.46	2.2	79.8	100cm [∞]	<1.5%	8.5*8.5*6	AXT630124	AXT530124	LED	
		SF-C13130V-A1N01	MIP1	AF	1/3.06"	3.79	2.0	70	100cm [∞]	<1.0%	8.5*8.5*6.6	0.5mm golden finger 30pin	FH12-30S-0.53R		
		SF-C13130V-JC01	MIP1	AF	1/3.06"	3.57	2.0	78	100cm [∞]	<1.5%	8.5*8.5*6.5	AXK8L24145	AXK7L24127	LED	
		SF-C13130V-TS04B	MIP1	AF	1/3.06"	3.46	2.2	80	100cm [∞]	<1.5%	8.5*8.5*6.2	AXE634124 34pin	AXE534124	LED	
		SF-C13130V-TS04F	MIP1	AF	1/3.06"	3.46	2.2	79.8	100cm [∞]	<1.5%	8.5*8.5*6	AXT630124 30pin	AXT530124		
		SF-C13130V-TS05B	MIP1	AF	1/3.06"	3.46	2.2	79.8	100cm [∞]	<1.5%	8.5*8.5*6	AXT630124	AXT530124		
		SF-SW850B	MIP1	AF	1/3.06"	TBD	2.2	79.8	100cm [∞]	<1.5%	8.5*8.5*6	AXT630124 30pin	AXT530124	LED	
	SF-S7000-OV13850	MIP1	FF	1/3.06"	3.85	2.2	78*	100cm [∞]	TBD	8.5*8.5*4.8	AXK8L24124 24pin	TBD	LED		
	SF-Y3850M7A21 FRONT V1.3	MIP1	FF	1/3.06"	2.33	2.4	125	200cm [∞]	<-25%	10*10*6.7	S03776-2410 24pin	TBD			
	OV13855	SF-3855C	MIP1	AF	1/3.06"	TBD	2	78.2	100cm [∞]	<1.5%	8.5*8.5*6	OK-118R024-35 24pin	TBD	LED 蓝玻璃	
SF-AR3855A-A0		MIP1	AF	1/3.06"	TBD	2	78.4	80cm [∞]	<1.5%	8.5*8.5*4.72	OK-23G024-04 24pin	TBD	IR FILTER : 使用蓝玻璃		
SDA-KK258PA-A0		MIP1	AF	1/3.06"	TBD	2.0	78.4	100cm [∞]	<1.5%	8.5*8.5*4.85	IPXE-20641-030E 30pin	IPXE-20642-030E			
SF9X258R10-C		MIP1	AF	1/3.06"	4.24	2.0	69	100cm [∞]	<1%	8.5*8.5*6	OK-14G030-04 30pin	OK-14F030-04			
IMX258	SF-Z3258PA-A0	MIP1	AF	1/3.06"	TBD	2.0	78.4	80cm [∞]	<1.5%	8.5*8.5*4.94	OK-14G030-04 30pin	OK-14F030-04			
	SF258PC	MIP1	AF	1/3.06"	TBD	2.4	117	100cm [∞]	<-7.9%	8.5*8.5*6.77	OK-14G030-04 30pin	OK-14F030-04			
	SF-IMX214-50-V1	MIP1	AF	1/3.06"	3.35	2.4	137	100cm [∞]	<-19.35%	8.5*8.5*6.2	AXT630124 30pin	AXT530124			
IMX214	SF-SW3214A-A0	MIP1	AF	1/3.06"	TBD	2.4	78.4	100cm [∞]	<1.5%	8.5*8.5*4.85	S03776-3010 30pin	S03772-3010			
	SF80X214T X3214A-A0	MIP1	AF	1/3.06"	3.46	2.2	79.8	100cm [∞]	<1.5%	8.5*8.5*4.65	14-5804-030-000-829 30pin	24-5804-030-000-829			
	SF-S0214-X10-B	MIP1	AF	1/3.06"	3.85	2.2	83	100cm [∞]	<1.5%	8.5*8.5*6.9mm	OK-10G030-35 30pin	TBD			
IMX135	SF-S0135-S651-B	MIP1	AF	1/3.06"	3.46	2.2	82	10cm/500cm	<0.4%	8.5*8.5*6.4mm	OK-23G030-04 30pin	OK-23F030-04			
IMX328	SF-S0328-A10-B	MIP1	AF	1/3.06"	3.69	2.2	76.7	100cm [∞]	<1%	8.5*8.5*6.05mm	S04622-2410 24pin	TBD			

	IM328	SF-S0328-V8-B V1.0	MIP1	AF	1/3.06"	3.46	2.2	82	20CM*0.6M	<1%	8.548,545,1mm	AXES0124 30pin	AXES0124	
	IM348	SF-OCM348-F2-B	MIP1	FF	TBD	2.35	2.4	117	0.1M [∞]	<-15%	16.46*20*8.65	golden finger 25pin	TBD	IR-cat电路板 出货商型: 0.8MM
	SSK3L8	SF-HR3L8RQ-A0	MIP1	AF	1/3.1"	TBD	2	79.9	10CM [∞]	<1%	8.548,544,53	OK-10M030-04 30pin	OK-10F030-04	1层蓝玻璃
	SSK3M5	SF-SSK3M5	MIP1	AF	TBD	TBD	TBD	TBD	TBD	TBD	23.6*11.68*5.77	OK-118M040-35 40pin	OK-118F040-35	5倍光学变焦
	SSK3M2X13	SF-DK3M24-A0	MIP1	AF	1/3"	TBD	2.2	79.8	10CM [∞]	<-1.5%	8.548,544	W7-P030V1-8600 30pin	TBD	
	SSK3L6	SF-ZE3L6A1	MIP1	AF	1/3"	TBD	2	078.2	10CM [∞]	<1%	8.548,544,6	AXES0124 30pin	AXES0124	
		SF-S03L6-WM101M-F	MIP1	FF	1/3"	3.37	2.2	81.3	40cm	<1%	7.547,544,6mm	golden finger 25pin	TBD	
		SF-OC3L6	MIP1	AF	1/3"	3.85	2.2	82	10CM [∞]	<-1.5%	8.5548,544,29	OK-10G030-04 30pin	OK-10F030-04	
12MP	IM363	SF-S363-M14	MIP1	FF	1/2.55"	6.34	5.5	58	TBD	<-1.5%	18418*18,2	BM20(0.8)-30P-0.4V 30pin	BM20(0.8)-30S-0.4V	
	IM363	SF-X363C	MIP1	AF	1/2.55"	TBD	1.79	68	10CM [∞]	<1%	10.8*10,8*6.4	14-5804-030-000-829 30pin	24-5804-030-000-829	
	IM377	SF-X37721ABA	MIP1	FF	1/2.3"	3.65	3.0	135	10CM [∞]	<-30%	18*18*17.15	0.5mm golden finger 30pin	FH12-30S-0.5SH	
	IM377	SF-A37721BA	MIP1	FF	1/2.3"	3.65	3.0	H105	1W [∞]	<-30%	22*14*17.05	0.5mm golden finger 30pin	FH12-30S-0.5SH	
	IM477	SF-X47721BA V1.0	MIP1	FF	1/2.3"	3.65	3.0	H105	1W [∞]	<-30%	22*15*17.05	0.5mm golden finger 30pin	FH12-30S-0.5SH	
	IM376	SFH0376-1263 V3.1	MIP1	AF	1/1.6"	2.23	2.8	220	30CM 3M	-7.1%	19.65*47.25*31.44	BK1306-40P, 2-0.35V 46pin	TBD	
	IM708	SF4V708BA-RP V1.0	MIP1	AF	1/2.43"	2.75	2.2	D120	10CM [∞]	<-11.6%	10.8*10,8*7.25	DF37C-30P-0.4V 30pin	TBD	
	OV12A10	SF2V12A10BA	MIP1	AF	1/2.8"	2.35	2.2	D116	10CM [∞]	-7.05%	8.848,846,8	AXES0124 30pin	AXES0124	
	OV980	SF-SF980A	MIP1	AF	1/4"	TBD	2	75	10CM [∞]	<1%	8.548,544,55	OK-118M024-25 24pin	TBD	LED
	H1843	SF8H43A4	MIP1	AF	1/4"	2.92	2.4	75.6	10CM [∞]	<-1.5%	8.548,544,3	55909-0240 25pin	TBD	
H1846	SF-HB46A0	MIP1	AF	1/4"	TBD	2	76.9	10cm [∞]	<-1%	8.548,544,48	YXT-HB1P-30P-02 30pin	TBD		
SSK488	SF-FCS488F-A0	MIP1	AF	1/4"	TBD	2.4	120	10CM [∞]	<-1.5%	7.547,545	W7-P030V1 30pin	TBD		
	SDA-HS488C-A0	MIP1	AF	1/4"	TBD	2.0	76.9	10CM [∞]	<-1.5%	8.548,544,55	OK-14M024-04 24pin	OK-14F024-04		
	SF-KKS488H	MIP1	AF	1/4"	TBD	2.0	74	8CM [∞]	<-1.5%	8.548,544,63	OK-23G030-04 30pin	OK-23G030-04		
	SF-OC488-16568-F	MIP1	FF	1/4"	2.78	2	77.5	TBD	<-1.5%	6.846,844,8	OK-118M024 24pin	TBD		
	SF-S0488-S915-F	MIP1	FF	1/4"	2.67	2.2	80	20CM*0.6M	<1%	6.546,546,05mm	golden finger 21pin	TBD		
	SF-S0488-16525-B	MIP1	AF	1/4"	2.79	2	78	20CM*0.6M	<0.4%	8.548,544,85mm	OK-10G030-04 30pin	OK-10F030-04		
	SF-S0488-485-B	MIP1	FF	1/4"	1.65	2.2	120	40cm	<10%	8.048,045,1mm	207402410 24pin	TBD		
OV8856	SF-HB856B-A0	MIP1	FF	1/4"	TBD	2.0	76.9	35CM*31CM	<-1.5%	8.548,544,05	YXT-HB1P-24P-02 24pin	YXT-HB1P-24S-02		
	SF-V18856B-A0	MIP1	AF	1/4"	TBD	2.0	76	10CM [∞]	<-1.5%	8.548,544,8	RAM04-40083-0500 40pin	BAF04-40083-0500		
	SF-OC8856-A10-K-PLCC	MIP1	FF	1/4"	2.78	2	77	20cm*0.6M	<1%	6.546,542,71	OK-14M024-04 24pin	OK-14F024-04	0.21mm蓝玻	
OV8865	SF-C80130V-TS01F V1.2	MIP1	AF	1/3.2"	3.85	2.2	70	10CM [∞]	<-1.5%	8.548,545,6	AXES0124 30pin	AXES0124		
	SF-C80130V-TS01B V1.21	MIP1	AF	1/3.2"	3.46	2.2	80	10CM [∞]	<-1.5%	8.548,544,96	AXE634124 34pin	AXE54124	LED	
	SF-C80140V-TF01 V1.2	MIP1	AF	1/4"	2.94	2.4	75	10CM [∞]	<-1.5%	8.548,544,3	0.5mm golden finger 24pin	FH12-24S-0.5SH		
OV8858	SF-C80140V-AF-Flash-BTB-L71	MIP1	AF	1/4"	2.56	2.2	85	10CM [∞]	<-1.5%	8.548,544,4	AXES0124 30pin	AXT30124	LED	
IM219	SF-X21913507BBA	MIP1	AF	1/4"	2.92	2.4	75	10CM [∞]	<1%	8.548,544,3	0.3mm golden finger 25pin	FH26-25S-0.3SH		
	SF-C80145Y-13507BH	MIP1	AF	1/4"	2.92	2.4	75	10CM [∞]	<1%	8.548,544,3	0.3mm golden finger 25pin	FH26-25S-0.3SH		
	SF-X2198821BA	MIP1	FF	1/4"	1.58	2.0	H136	60CM [∞]	<-25%	8.548,544,3	0.5mm golden finger 30pin	FH12-30S-0.5SH		
	SF-X2195880FY	MIP1	FF	1/4"	2.47	2.0	84	30CM [∞]	<1%	6.546,544,2	0.3mm golden finger 30pin	PR35C-033SH-0.5SH		
	SF-X219650Y	MIP1	FF	1/4"	TBD	2.2	120	20CM [∞]	<-15%	848*5,3	AXT630124 30pin	AXT530124		
	SF-S0219-F2 PUIS-F	MIP1	FF	1/4"	2.85	2	78	20CM*0.6M	<-1.5%	6.546,546,2mm	golden finger 21pin	TBD		
	SF-S0219-S5590-B	MIP1	AF	1/4"	2.85	2	76.9	>10cm	<-1.5%	8.548,545,15mm	OK-10G030-04 30pin	OK-10F030-04		
SF-X21984-RP	MIP1	AF	1/4"	2.92	2.4	75.6	10cm [∞]	<-1%	8.548,544	golden finger 15pin	TBD			
IM219-BP20A1	SF-S0219-S6268-B V2.0	MIP1	AF	1/4"	2.94	2	75.6	TBD	<-1.5%	8.548,545,35mm	OK-22M030-04 30pin	TBD	LED	
IM415	SF-X41521BA V1.0	MIP1	FF	1/2.8"	2.8	2.0	H129	1W [∞]	<-40%	22*15*18.45	0.5mm golden finger 30pin	FH12-30S-0.5SH		
	SF-ZN4151	MIP1	AF	1/2.8"	3.1	2.4	D93	TBD	<0.7%	20*24*9.2	golden finger 30pin	TBD		
IM317	SF-X31721BA	MIP1	FF	1/2.5"	3.2	1.8	H116	1W [∞]	<-40%	24*16*24.04	0.5mm golden finger 30pin	FH12-30S-0.5SH		
IM334	SF0X334T1	MIP1	FF	1/1.8"	TBD	TBD	TBD	TBD	TBD	TBD	38*38*32	golden finger 30pin	TBD	
IM274	SF-TE8025	MIP1	FF	1/2.5"	2.5	2.4	D16/H14/V8, 2	0.5W [∞]	<-40%	24*16*24.04	golden finger 30pin	FH12-30S-0.5SH		
IM678	SF33678BA	MIP1	FF	1/1.8"	4	2	D133	1W [∞]	<-35%	26*20*24.34	golden finger 30pin	TBD		
H1-843	SF3H1843BY	MIP1	FF	1/4"	TBD	2.4	D87.9	40cm [∞]	<-1.5%	8.548,543,95	golden finger 24pin	TBD		
OV5675	SF-HF5675A	MIP1	FF	1/4"	TBD	2.4	74.5	10CM [∞]	<-1.5%	8.548,543,85	OK-22M024-04 24pin	TBD		
OV5695	SF-SR5695A-A0	MIP1	AF	1/4"	TBD	2.0	74.06	10CM [∞]	<-1.5%	8.548,544,89	OK-14G030-04 24pin	OK-14G030-04		
OV5695	SF56953-A0	MIP1	FF	1/4"	TBD	2.2	87	27CM*74CM	<-1.5%	6.546,544,2	OK-14G030-04 25pin	OK-14G030-04		
OV5695	SF-V5695A-A0	MIP1	AF	1/4"	TBD	2.0	76.5	10CM [∞]	<-1.5%	8.548,544,75	RAM04-24083-0502	BAF04-24083-0502		
OV5695	SF-Z56951F	MIP1	FF	1/4"	TBD	2.2	84	28CM*65CM	<-1.5%	8.548,544,75	QG132421Y-M08-7H 24pin	QC232421Y-M08-7H		
OV5695	SF-R56951	MIP1	FF	1/4"	1.925	2.2	D120	20CM [∞]	TBD	TBD	6.546,545,2	OK-14M024-04 24pin	OK-14F024-04	
OV5648	SF-C50140V-FF-MIP1-D100-L43	MIP1	FF	1/4"	2.3	2.2	100	15CM*30CM	<-10%	949*5,5	AXT624124 24pin	AXT524124		
OV5648	SF-C50140V-MIP1-BTB-L30 V1.0	MIP1	FF	1/4"	1.8	2	H125	9cm	<-25%	949*14,7	AXT624124 24pin	AXT524124		
OV5648	SF-U562P-5648BJ	MIP1	FF	1/4"	TBD	TBD	72	60cm	TBD	TBD	13.55*13.55*7.97	golden finger 25pin	TBD	
OV5647	SF-C50140V-Y8B	MIP1	AF	1/4"	3.75	2.8	60	10M [∞]	<1%	8.548,545,1	OK-14M024-04 24pin	OK-14F024-04		
OV5647	SF-C50140V-DX7707B	MIP1	AF	1/4"	3.75	2.8	60	10M [∞]	<1%	8.548,545,1	OK-14M024-04 24pin	OK-14F024-04		
OV5647	SF-C50140V-827B	MIP1	AF	1/4"	3.75	2.8	60	10M [∞]	<1%	8.548,545,1	OK-06M030-04 30pin	OK-06F030-04		
OV5647	SF-K5647A	MIP1	AF	1/4"	TBD	2.8	H67.4	10M [∞]	<1%	8.548,544,92	AXT630124 30pin	AXT530124		
OV5647	SF-CR5647AY	MIP1	AF	1/4"	TBD	2.8	70	10M [∞]	<1%	8.548,545,2	BHR13-30R6417 30pin	TBD		
OV5640	SF3V5640BA-RP V1.0	MIP1	AF	1/4"	3.4	2.8	65.5	10CM [∞]	<-1%	8.548,544,6	golden finger 15pin	TBD		
OV5640	SF-C50140V-MIP1-FF-D105 V1.2	MIP1	FF	1/4"	2.3	2.2	D105	60M [∞]	<-10%	949*5,5	AXK82415 24pin	AXK724127		
OV5645	SF-C50140V-MIP1-FF-72L	MIP1	FF	1/4"	3.0	2.2	H62	60M [∞]	<-1.5%	8.548,544,5	AXES0124 30pin	AXE30124		
OV5645	SF-C50140V-MIP1-FF-24L	MIP1	FF	1/4"	3.0	2.2	H62	60M [∞]	<-1.5%	8.548,545,0	AXES0124 30pin	AXE30124		
OV5645	SF-C50140V-M7B	MIP1	AF	1/4"	3.75	2.8	60	10M [∞]	<1%	8.548,545,3	0.3mm golden finger 25pin	FH26-25S-0.3SH		

SMP	0V5645	SF-C50140V-J208B	MIP1	AF	1/4"	3.75	2.8	60	100°	<1%	8.548.545.1	OK-10M024-04 24pin	OK-10F024-04	
	0V5645	SF-C50140V-ATV01	MIP1	AF	1/4"	3.37	2.8	65	100°	<1%	8.548.545	AXR824145 24pin	AXK724127	
	0V5645	SF-A0V5645-MIP1-FF-075	MIP1	AF	1/4"	3	2.4	75	60CM°	<1.5%	8.548.544.6	OK-14G024-04 24pin	OK-14F024-04	
	0V5640	SF-C50140V-TL01	MIP1/DVP	AF	1/4"	3.37	2.8	70	100CM°	<1%	8.548.545.1	0.5mm golden finger 24pin	PHI2-24S-0.5SH	
	0V5640	SF-C50140V-GD01-H25	MIP1	FF	1/4"	8.0	2.0	H25	5M	<1%	13.5413.5424.8	0.5mm golden finger 24pin	PHI2-24S-0.5SH	
	0V5640	SF-C50140V-GD01-H34	MIP1	FF	1/4"	6.0	2.0	H36	5M	<-2%	13.5413.5424.7	0.5mm golden finger 24pin	PHI2-24S-0.5SH	
	0V5640	SF-C50140V-FF-D100-L43	MIP1	FF	1/4"	2.3	2.2	100	15CM°30CM	<-10%	999*5.5	AXT624124 24pin	AXT524124	
	0V5640	SF-A0V5640-TS02-V1.2	MIP1/DVP	AF	1/4"	3.37	2.8	65	100CM°	<1%	8.548.545.5	AXR824145 24pin	AXK724127 LED	
	0V5640	SF-A0V5640-ATV00	MIP1	AF	1/4"	3.37	2.8	65	100CM°	<1%	8.548.545	AXR824145	AXK724127	
	0V5640	SF-A0V5640-MIP1-AP-70L-V1.1	MIP1	AF	1/4"	3.37	2.8	67	100CM°	<1%	8.548.545	AXR824145 24pin	AXK724127	
	0V5640	SF-C30140V-MIP1-FF-H125	MIP1	FF	1/4"	1.8	2	125	60CM°	<-25%	999*14.7	AXR824145 24pin	AXK724127	
	0V5640	SF-A0V5640-MIP1-FF-W12	MIP1	FF	1/4"	2.15	2.4	H105	50CM°	<-20%	33428*14.7	AXR824145 24pin	AXK724127	
	0V5640	SF-A0V5640-TS03	MIP1	AF	1/4"	3.37	2.8	65	100CM°	<1%	8.548.545.5	AXR824145 24pin	AXK724127	
	0V5640	SF-6J56401	MIP1	FF	1/4"	3.29	2.8	68.7	30CM°	<1%	8.548.544.8	0.5mm golden finger 24pin	PHI2-24S-0.5SH	
	GC5025	0V5640	SF-V56401Y	MIP1	AF	1/4"	TBD	2.8	68.7	200CM	<1%	8.548.543.97	golden finger 24pin	TBD
			SF-C5025G-C0808H V1.1	MIP1	FF	1/4"	2.63	2.2	60	45CM°	<1%	8.548.544.25	OK-23G030-04	OK-23G030-04
			SF-C5025G-C0808AF V1.2	MIP1	AF W511	1/4"	2.63	2.2	60	100CM°	<1%	8.548.544.2	OK-23G030-04	OK-23G030-04
			SF-C5025G-C1711H V1.1	MIP1	FF	1/4"	2.63	2.2	60	45CM°	<1%	8.548.544.1	OK-23G030-04	OK-23G030-04
	GC5024	SF-C5024G-MIP1-AP-V1.1	MIP1	AF W511	1/4"	3.37	2.8	67	100CM°	<1%	8.548.545	AXT630124	AXT530124	
	GC5035	0V5640	SF-S8503510	MIP1	FF	1/5"	TBD	2.4	84"	40cm	<1.5%	5.545.543.77	OK-118M024-35 24pin	TBD
		SF-G503560AY	MIP1	AF	1/5"	2.27	2.2	76	100CM°	<1.5%	8.548.544.6	OK-06M030-04 30pin	OK-06F030-04	
		SF-G503560FY	MIP1	FF	1/5"	2.01	2.4	84.1	TBD	<1.5%	5.545.543.7	OK-06M030-04 30pin	OK-06F030-04	
		SF-ZC-K9-5MAF	MIP1	AF	1/5"	3.128	2.8	60.2	100CM°	<1.6%	27.5*11*6	0.5mm golden finger 24pin	PHI2-24S-0.5SH LED	
SSK5E2	0V5640	SF-S05E2-S920-B	MIP1	AF	1/5"	2.26	2.2	76	>10cm	<1.5%	8.548.544.80mm	OK-10M030-04 30pin	OK-10F030-04	
		SF-S05E2-S5790-F	MIP1	FF	1/5"	2.26	2.2	76	40cm	<1.5%	6.546.544.60mm	OK-10M024-04 24pin	TBD	
		SF-S05E2-TY005-F	MIP1	FF	1/5"	2.26	2.2	76	40cm	<1.5%	6.546.545.80mm	golden finger 21pin	TBD	
SSK5E8	0V5640	SF-YKS5E81	MIP1	FF	1/5"	TBD	2.4	70.8	29cm*64cm	<1%	6.546.543.9	14-5861-024-024-829 24pin	TBD	
		SF-S05E8-R860-F	MIP1	FF	1/5"	2.34	2.4	76	20CM*0.6M	<1.5%	6.546.544.70mm	CPC0010-25R-1AG 25pin	TBD	
		SF-S05E8-L6003-B	MIP1	AF	1/5"	2.54	2.4	76	30CM*0.6M	<1%	8.048.045.0mm	golden finger 31pin	TBD LED	
0V5693	SF-A0V5693-S8006B-Z	MIP1	FF	1/4"	3.85	2.2	78	TBD	<1.5%	8.548.545.2	OK-23G024 24pin	TBD IR 玻璃		
DF2553	SF-A13-TADMAX	MIP1	FF	1/5"	2.35	2.2	73.5	20cm*60cm	<1%	5454	golden finger 21pin	TBD LED		
0S05A20	SF20S5A20RA	MIP1	FF	1/2.7"	1.96	1.8	D175	300CM°	<-30%	13*13*8	PHI2-30S-0.5SV 30pin	TBD		
GC05A2	SF-SW05A23	MIP1	FF	1/5"	TBD	2.2	D75	300CM°	<1.5%	5454.1	OK-118M030/2-35 30pin	TBD		
HP	0V4689	SF-A0V4689S1-02	MIP1	FF	1/3"	1.08	2.2	H208	200CM°	<-70%	16*16*12.7	0.5mm golden finger 24pin	PHI2-24S-0.5SH	
		SF-KX46892-30	MIP1	FF	1/3"	3.0	2.0	140/110/56	2.25M*4.55M	TBD	26*20.2*17.85	GB042-24P-H10 24pin	GB042-24S-H10 IR CUT Switch	
		SF-S0A468909-M2 V1.1	MIP1	FF	1/3"	2.52	2.4	120	0.1M°	<10%	20*16.7*16.1mm	OK-14M030-04 30pin	OK-14F030-04 IR-CUT	
		SF-OC4689-IR-CUT	MIP1	FF	1/3"	2.35	2.4	117	0.1M°	<-15%	16.46*20*8.65	golden finger 25pin	PHI2-S-0.3SHV IRCUT	
GC4663	SF-RCUT98-F0	MIP1	FF	1/3"	1.74	2.4	129.5	0.1M°	<9.8%	16.46*20*8.65	golden finger 25pin	TBD IR CUT Switch		
AR0500	SF-FVC500A	MIP1	FF	1/2.7"	TBD	1.8	D125	TBD	<-60%	15.3*15.3*22.7	golden finger 24pin	TBD		
SMP	AR0330	SF-AR0330M1-#R01	MIP1	FF	1/3"	3.6	2	72	1M°	<15%	12.9*12.9*22.7	0.5mm golden finger 24pin	PHI2-24S-0.5SH	
SMP	0G02B1B	SF-C20130V-G8M-DAM-FPC	MIP1/DVP	FF	1/2.9"	1.96	1.8	D166	45CM°	<-30%	13.9*22*14.3	5.0mm golden finger 30pin	PHI2-30S-0.5SH(55)	
	0G02B10	SF-C20130V-G8M-DAM-FPC	MIP1/DVP	FF	1/2.9"	1.96	1.8	D166	45CM°	<-30%	13.1*22*14.3	5.0mm golden finger 30pin	PHI2-30S-0.5SH(55)	
	GC2093	SF-G53M01-FHD-MN01	MIP1	FF	1/2.9"	2.4	2.2	D166	10cm°	<24%	27*18*17.8	PHI20-25S-0.3SHV 25pin	PHI30C-25S-0.3SHV	
	0V2680	SF-Y26801-S1D	MIP1	FF	1/5"	TBD	2.4	83	24CM°	<-1%	6.546.543.6	BM040-124B-C08-A 24pin	BP040-124B-C08-A	
	IMX290	SF-YFX2901-30	MIP1	FF	1/2.8"	TBD	1.8	140	TBD	<-51%	13.2*13.2*23.3	golden finger 24pin	TBD	
	0V2740	SF-Y274021BA	MIP1	FF	1/6"	1.753	2.4	82	40CM°	<-1%	5454.35	0.5mm golden finger 24pin	PHI2-24S-0.5SH	
	0S02G10	SF-0T1892-FV1	MIP1	FF	1/2.9"	3.0	2.2	141	TBD	<20%	10*10*14.97	14-5804-024-000-829 24pin	24-5804-024-000-829	
	0V2735	SF-0T2735A49	MIP1	FF	1/2.7"	3.3	2.75	H109	60M°	<11%	999*16	AXT624124 24pin	AXT524124	
	0V2718	SF-C20130V-MIP1-FPC	MIP1	FF	1/2.9"	3.14	2.2	90	1M°	<-5%	10.5*10.5*10.3	0.5mm golden finger 24pin	PHI2-24S-0.5SH	
		SFL0V20-DT639-F1	MIP1	FF	1/2.9"	3.0	2.2	139	1M°	<10%	20*20*15.5	OK-10M030-04 30pin	OK-10F030-04 IR CUT Switch	
	GC2235		SF-C2235G-L100-F19-B V1.0	MIP1	FF	1/5"	2.65	2.2	67	30CM°200CM	<1%	8.548.544.3	0.3mm golden finger	PHI26-39S-0.3SHV
			SF-C2235G-L100-F11B V1.0	MIP1	FF	1/5"	2.65	2.2	67	30CM°200CM	<1%	8.548.544.3	0.3mm golden finger	PHI26-39S-0.3SHV
			SF-C2235G-CJ3507F V1.0	MIP1	FF	1/5"	2.66	2.8	60	60CM°	<1%	6.546.544.5	0.3mm golden finger	PHI26-21S-0.3SHV
	GC2145M	SF-GC2145AD322	MIP1	FF	1/5"	2.59	2.8	64	30CM°	<1%	6.546.544.5	OK-14M030-04 30pin	OK-14F030-04	
	GC2145	SF-SW21452	MIP1	FF	1/5"	2.7	2.8	66	TBD	<1.5%	6.546.544.2	golden finger 25pin	TBD	
	GC2145	SF-C2145G-MIP1-FF-8TB	MIP1	FF	1/5"	2.66	2.8	71	45CM	<1%	8.548.544.02	AIE630124 30pin	AIE530124	
	GC2063	SF-C20130C-MIP1-D130	MIP1	FF	1/5"	2.9	2.4	130	50CM°	<-20%	999*6.32	0.5mm golden finger 24pin	PHI2-24S-0.5SH	
	IMX307	SF-YFX3071-A0 PD	MIP1	FF	1/2.8"	2.9	2.0	140/110/56	68.2CM°	<-50%	22*16.2*23.7	0.5mm Flat FPC 24pin	0.5-2X-24FPC	
	IMX290	SF-X29021BA V1.0	MIP1	FF	1/2.8"	2.95	2.5	H80	50CM°	<-1%	22*15*16.03	0.5mm golden finger 30pin	PHI2-30S-0.5SH	
	IMX132	SF-SM1321-A0	MIP1	FF	1/6.95"	TBD	2.2	34.63	20CM°28CM	<1.5%	5.545.544.55	0.3mm golden finger 25pin	PHI26-25S-0.3SHV	
IMX462	SF2X462BA V1.0	MIP1	FF	1/2.8"	4	2.1	D100	70cm°	<-8.3%	15*15*49.43	golden finger 30pin	PHI2-30S-0.5SH		
IMX462	SF2X462A51	MIP1	FF	1/2.8"	3.9	2.8	H70/H38/H59	235CM	<-0.12%	15*15*23	golden finger 22pin	TBD		
SC201CS	SF-SC201-A13-POWER SUB	MIP1	FF	1/5"	2.85	2.4	75	TBD	<1.5%	6.546.544.1	OK-128M024/2-35 24pin	TBD		
0V2312	SF3V2312BA V1.0	MIP1/DVP	FF	1/2.9"	1.96	1.8	166	45CM°	<-30%	13.1*13.1*17.9	golden finger 30pin	TBD		
GC02M1	0V2312	SF-SW02M2	MIP1	FF	1/5"	TBD	2.4	84.1	40cm	<1.5%	8.548.545.1	AIE630124 30pin	AIE530124	
		SF-GC20-009-F3	MIP1	FF	1/5"	2.52	2.8	70	10cm*30cm	<1%	6.546.542.6	AXT624124 24pin	AXT524124	
0V02B10		SF-V02B101	MIP1	FF	1/5"	TBD	2.8	66"	40cm°	<1.5%	6.546.544.25	golden finger 24pin	0.5S-2X-24FPC (CCDA)	
		SF-V02B102	MIP1	FF	1/5"	TBD	2.8	83"	40cm°	<1.5%	6.546.543.65	golden finger 24pin	0.5S-2X-24FPC (CCDA)	

		SF-PC0S0002A	MIP1	AF	1/5"	1.96	2.4	D83.2	37.43mm	<1%	6.5*6.5*4.7	XYT-1810-24P-02 24pin	TBD	
	BF2253L	SF-S02253L-S0712B-F	MIP1	FF	1/5"	2.9	2.8	61.5	20CM*0.6M	<1.5%	6.5*6.5*4.5mm	golden finger 25pin	TBD	
		SF-S02253CS-A10	MIP1	FF	1/5"	2	2.4	84	2cm	<1.5%	6.5*6.5*4.34mm	OK-23G024-04 24pin	OK-23G024-04	
		SF-S01002S-V1.1	MIP1	FF	1/5"	2	2.4	72	60cm	<1.5%	40*10.8*5.08mm	KH-F20.5-H2.0-40PIN	TBD	LED
	BF2257	SF-S02257CS-A10	MIP1	FF	1/5"	2	2.4	86	20CM*0.6M	<1.5%	6.5*6.5*4.34mm	OK-23G024-04 24pin	OK-23G024-04	
		SF-S02257CS-H6-F	MIP1	FF	1/5"	2.85	2.8	61.5	20CM*0.6M	<0.4%	6.5*6.5*4.45mm	CFPO0310-258L-TAG 25pin	TBD	
1.3MP	SC1326S	SF-S01326S00MA V1.0	MIP1	FF	1/4"	4.24	6	D80	120mm*250mm	<2%	6.5*6.5*6.67	14-5881-016-024-829+ 16pin	TBD	
	0W9782	SF-978221BA	MIP1/DVP	FF	1/4"	1.66	2.2	120	30CM*	<-10%	9*8*5.12	AXE624124 30pin	AXE524124	
	0W9782	SF-0C9782D	MIP1	FF	1/4"	1.22	2	140	70cm*350cm	<-33.7%	13.43*13.43*62.7	golden finger 24pin	TBD	
	0W9732	SF-C10140USB-D65-FPC38L	MIP1	FF	1/4"	3.37	2.8	67	15CM*40CM	<1%	8*8*4.85	0.5mm golden finger 24pin	FH12-24S-0.5SH	
	0W9732	SF-C10140V-V3D01	MIP1	FF	1/4"	0.95	2.0	150	50CM*	<1%	8*8*3.6	0.3mm golden finger 23pin	FH26-23S-0.3SH	
	0W9732	SF-C10140V-J301-D65	MIP1	FF	1/4"	4.39	2.4	55	60CM*	<1%	8*8*5.65	0.3mm golden finger 23pin	FH26-23S-0.3SH	
	0W9281	SF-C10140V-H4M-H80	MIP1	FF	1/4"	2.2	2.0	H80	60CM*	<-1%	8*8*10.9	AXT624124	AXT524124	BAW
	0W9281	SF-A0W9281	MIP1	FF	1/7.5"	2.3	2.2	H85	50CM*	<-10%	8*8*5.61	AXT624124 24pin	AXT524124	NO Filter
	HM1375	SF-C10140H-FAR-8.538.5-45L	DVP	FF	1/4"	3	2.2	76	50CM*200CM	<-1%	8.5*8.5*4.3	0.5mm golden finger 20pin	FH12-20S-0.5	
	0W9282	SF-XXS9282V10V 18650mm	MIP1	FF	1/4"	TBD	2.0	150	10CM*	<2%	9*9*7	503776-2420 24pin	503772-2420	IR 650
		SF-XXS928218850	MIP1	FF	1/4"	TBD	2.0	150	10CM*	<-0.25%	9*9*7	503776-2420 24pin	503772-2420	IR 850
		SF-XXS9282V10V1 940mm	MIP1	FF	1/4"	TBD	2.0	150	10CM*	<2%	9*9*7	503776-2420 24pin	503772-2420	IR 940
	0W10640	SF-C0V10640MIP1-HR-30L	MIP1	FF	1/2.56"	6	2.0	H55	TBD	<9%	22*15*24.7	0.5mm golden finger 30pin	FH12-30S-0.5SH	
	BF3144CS	SF-3F3144C30C	MIP1	FF	1/4"	5.54	2.4	D44.6	40CM*1M	<1.5%	9*9*6.15	golden finger 24pin	TBD	
	IM0678	SF-CTS830	MIP1	AF	1/1.8"	5.8	2.2	76	1M*	<-2.4%	50*22*33.41	golden finger 26pin	TBD	650nm IR Cut
	IM0678	SF33678BA	MIP1	FF	1/1.8"	4	2	D133	1M*	<-35%	20*20*9.42	golden finger 30pin	TBD	
	0G01A1B	SF-V01A1B3	MIP1	FF	1/5"	TBD	2.2	D130	30cm*	<15%	6.5*6.5*4.5	5052742040.2 20pin	TBD	
	0W7251	SF-ASV7251	MIP1	FF	1/7.5"	2.66	2.8	H39	30CM*	<-20.77%	6*6*4.3	AXT624124 24pin	AXT524124	
		SF-T251-H106	MIP1	FF	1/7.5"	0.74	2.0	120/106/88.8	5CM*	<-10%	6*6*5.8	AXT624124 24pin	AXT524124	
		SF-C72510V-H133-B1B-L40	MIP1	FF	1/7.5"	0.83	2.0	166/133/100	5CM*	<-20.77%	6.45*6.45*5.5	AXT624124 24pin	AXT524124	
		SF-C03170V-WF-120L	MIP1	FF	1/7.5"	2	2.5	H42	30CM*	<3%	8*8*12.35	0.5mm golden finger 24pin	FH12-24S-0.5SH	
		SF-C03170V-H75-8Inch	MIP1	FF	1/7.5"	1.27	2.4	H75	60CM*	<-15%	6.5*6.5*5	AXT624124	AXT524124	
		SF-V7251	MIP1	FF	1/7.5"	/	2.4	H56.8" V44" D77"	8CM*	<1%	5*5*3.25	OK-14G030-04 30pin	OK-14G030-04	
	GC0310	SF-C0310G-C-7298B V1.0	MIP1	FF	1/10"	1.55	2.8	60	30CM*	<1%	8.5*8.5*4.5	0.5mm golden finger	FH12-20S-0.5SH	
		SF-L5240	MIP1	FF	1/13"	TBD	2.8	D54	1.5CM	<1.5%	5*5*2.9	golden finger 25pin	TBD	
	GC6133	SF-SF16133	MIP1	FF	1/13"	TBD	2.8	60	20CM*80CM	<0.7%	5*5*3	OK-06M10-04 10pin	OK-06F10-04	
		SF-G05133-Q1-0611	MIP1	FF	1/13"	1.4	3	60	TBD	<1%	5.5*5.5*3	golden finger 18pin	TBD	LED
	HM0360	SF3M036A08	MIP1	FF	1/6"	2.85	2.8	52	20CM*	<-3%	6.5*6.5*3.97	AXE626124 26pin	TBD	
	SC0310C	SF-C503H-V1	MIP1	FF	1/6"	TBD	2.4	D88.8	15-30mm	<1.5%	23.1*6.5*3.85	golden finger 25pin	TBD	LED
	BP2041	SF-S02041-S0-H2-F V1.1	MIP1	FF	1/10"	1.8	3	64	20CM*0.6M	<1.5%	6.5*6.5*4.5mm	OK-F302-25115 25pin	TBD	
	GC032A	SF-S032A-16150-B SUB V1.1	MIP1	/	1/10"	/	/	/	/	/	5.0*5.0*3.0mm	CFPO0310-21RL-TAG 21pin	TBD	
	BF2046	SF-PC0N0001B	MIP1	AF	1/10"	1	3	D75	40MM*	<1.5%	6.5*6.5*4.25	golden finger 25pin	TBD	

New products are being updated continuously.

GUANGZHOU SINCERE INFORMATION TECHNOLOGY LTD. All Right Reserved
sales@sincerefirst.com SincereFirst.com / CameraModule.cn

***The lens angle of all products is not fixed and it can be matched with different lenses according to customer requirements.

This Camera Module list is for reference only. For more products updates (like USB cmos camera module, Endoscope Camera Module, IP Camera Module), please contact our company or your direct sales manager. Thank you for your support of our company and products. We will always take the customer first, quality first, and sincere first as the foundation of our company. Welcome your cooperation. SincereFirst, Sincere is Frst!